Jameco Part number 79071



Jameco Part number 79071

Table of Contents

Alphanumeric Index viii
Additional Available Linear Devices xiii
Industry Package Cross Reference Guide xxviii

Section 1 Operational Amplifiers
Operational Amplifiers Definition of Terms 1-5
Operational Amplifiers Selection Guide 1-6
LF147/LF347 Wide Bandwidth Quad JFET Input Operational Amplifiers 1-22
LF155/LF156/LF157 Series Monolithic JFET Input Operational Amplifiers 1-31
LF351 Wide Bandwidth JFET Input Operational Amplifier 1-46
LF353 Wide Bandwidth Dual JFET Input Operational Amplifier 1-54
LF411 Low Offset, Low Drift JFET Input Operational Amplifier 1-63
LF412 Low Offset, Low Drift Dual JFET Operational Amplifier 1-70
LF441 Low Power JFET Input Operational Amplifier 1-77
LF442 Dual Low Power JFET Input Operational Amplifier 1-84
LF444 Quad Low Power JFET Input Operational Amplifier 1-93
LF451 Wide-Bandwidth JFET Input Operational Amplifier 1-100
LF453 Wide-Bandwidth Dual JFET Input Operational Amplifier 1-106
LH0003 Wide Bandwidth Operational Amplifier 1-113
LH0004 High Voltage Operational Amplifier 1-116
LH0021/LH0021C 1.0 Amp Power Operational Amplifier 1-120
LH0041/LH0041C 0.2 Amp Power Operational Amplifier 1-120
LH0024 High Slew Rate Operational Amplifier 1-131
LH0032 Ultra Fast FET-Input Operational Amplifier 1-135
LH0042 Low Cost FET Operational Amplifier 1-143
LH0101 Power Operational Amplifier 1-153
LM10 Operational Amplifier and Voltage Reference 1-164
LM101A/LM201A/LM301A Operational Amplifiers 1-180
LM107/LM207/LM307 Operational Amplifiers 1-190
LM108/LM208/LM308 Operational Amplifiers 1-196
LM118/LM218/LM318 Operational Amplifiers 1-203
LM124/LM224/LM324/LM2902 Low Power Quad Operational Amplifiers 1-213
LM143/LM343 High Voltage Operational Amplifiers 1-226
LM146/LM246/LM346 Programmable Quad Operational Amplifiers 1-236
LM148/LM248/LM348 Quad 741 Operational Amplifiers; LM149/LM349 Wide Band Decompensated (Av(MIN) = 5) 1-248
LM158/LM258/LM358/LM2904 Low Power Dual Operational Amplifiers 1-261
LM221/LM321 Precision Preamplifiers 1-274
LM359 Dual, High Speed, Programmable Current Mode (Norton) Amplifier 1-283
LM392/LM2924 Low Power Operational Amplifier/Voltage Comparators 1-301
LM611 Operational Amplifier and Adjustable Reference 1-305
LM613 Dual Operational Amplifier, Dual Comparator, and Adjustable Reference 1-317
LM614 Quad Operational Amplifier and Adjustable Reference 1-333
LM675 Power Operational Amplifier 1-346
LM709 Operational Amplifier 1-353
LM725 Operational Amplifier 1-358
LM741 Operational Amplifier 1-366
LM747 Dual Operational Amplifier 1-370
LM748 Operational Amplifier 1-375
LM759/LM77000 Power Operational Amplifiers 1-379
LM1558/LM1458 Dual Operational Amplifiers 1-390
LM1875 20 Watt Power Audio Amplifier 1-392

Jameco Part number 79071

Table of Contents (Continued)

Section 1 Operational Amplifiers (Continued)

LM1877 Dual Power Audio Amplifier 1-398
LM1896/LM2896 Dual Power Audio Amplifier 1-403
LM2877 Dual 4 Watt Power Audio Amplifier 1-411
LM2878 Dual 5 Watt Power Audio Amplifier 1-418
LM2879 Dual 8 Watt Audio Amplifier 1-425
LM2900/LM3900/LM3301 Quad Amplifiers 1-432
LM3045/LM3046/LM3086 Transistor Arrays 1-450
LM3080 Operational Transconductance Amplifier 1-455
LM3303/LM3403 Quad Operational Amplifiers 1-459
LM3875 High Performance 40 Watt Audio Power Amplifier 1-466
LM4250 Programmable Operational Amplifier 1-482
LM6104 Quad Gray Scale Current Feedback Amplifier 1-490
LM6118/LM6218 Fast Settling Dual Operational Amplifiers 1-494
LM6132 Dual and LM6134 Quad High Speed/Low Power 7 MHz Rail-to-Rail I/O Operational Amplifiers 1-503
LM6142 Dual and LM6144 Quad High Speed/Low Power 17 MHz Rail-to-Rail Input-Output Operational Amplifiers 1-504
LM6152 Dual/LM6154 Quad High Speed/Low Power 45 MHz Rail-to-Rail Input-Output Operational Amplifiers 1-515
LM6161/LM6261/LM6361 High Speed Operational Amplifiers 1-516
LM6162/LM6262/LM6362 High Speed Operational Amplifiers 1-523
LM6164/LM6264/LM6364 High Speed Operational Amplifiers 1-531
LM6165/LM6265/LM6365 High Speed Operational Amplifiers 1-539
LM6171 Voltage Feedback Low Distortion Low Power Operational Amplifier 1-546
LM6181 100 mA, 100 MHz Current Feedback Amplifier 1-560
LM6182 Dual 100 mA Output, 100 MHz Dual Current Feedback Amplifier 1-577
LM6313 High Speed, High Power Operational Amplifier 1-598
LM7121 Tiny Very High Speed Low Power Voltage Feedback Amplifier 1-607
LM7131 Tiny High Speed Single Supply Operational Amplifier 1-608
LM7171 Very High Speed High Output Current Voltage Feedback Amplifier 1-630
LM13600 Dual Operational Transconductance Amplifier with Linearizing Diodes and Buffers 1-631
LM13700/LM13700A Dual Operational Transconductance Amplifiers with Linearizing Diodes and Buffers 1-649
LMC660 CMOS Quad Operational Amplifier 1-669
LMC662 CMOS Dual Operational Amplifier 1-679
LMC6001 Ultra Ultra-Low Input Current Amplifier 1-689
LMC6022 Low Power CMOS Dual Operational Amplifier 1-699
LMC6024 Low Power CMOS Quad Operational Amplifier 1-711
LMC6032 CMOS Dual Operational Amplifier 1-722
LMC6034 CMOS Quad Operational Amplifier 1-732
LMC6041 CMOS Single Micropower Operational Amplifier 1-742
LMC6042 CMOS Dual Micropower Operational Amplifier 1-753
LMC6044 CMOS Quad Micropower Operational Amplifier 1-763
LMC6061 Precision CMOS Single Micropower Operational Amplifier 1-773
LMC6062 Precision CMOS Dual Micropower Operational Amplifier 1-783
LMC6064 Precision CMOS Quad Micropower Operational Amplifier 1-793
LMC6081 Precision CMOS Single Operational Amplifier 1-803
LMC6082 Precision CMOS Dual Operational Amplifier 1-813
LMC6084 Precision CMOS Quad Operational Amplifier 1-823

Jameco Part number 79071

Table of Contents (Continued)

Section 1 Operational Amplifiers (Continued)

LMC6462 Dual/LMC6464 Quad Micropower, Rail-to-Rail Input and Output CMOS OperationalAmplifier 1-833
LMC6482 CMOS Dual Rail-to-Rail Input and Output Operational Amplifier 1-847
LMC6484 CMOS Quad Rail-to-Rail Input and Output Operational Amplifier 1-864
LMC6492 Dual/LMC6494 Quad CMOS Rail-to-Rail Input and Output Operational Amplifier 1-880
LMC6574 Quad/LMC6572 Dual Low Voltage (2.7V and 3V) Operational Amplifier 1-893
LMC6582 Dual/LMC6584 Quad Low Voltage, Rail-to-Rail Input and Output CMOS Operational Amplifier 1-902
LMC6681 Single/LMC6682 Dual/LMC6684 Quad Low Voltage, Rail-to-Rail Input and Output CMOS Amplifier with Powerdown 1-903
LMC7101 Tiny Low Power Operational Amplifier with Rail-to-Rail Input and Output 1-904
LMC7111 Tiny CMOS Operational Amplifier with Rail-to-Rail Input and Output 1-920
LPC660 Low Power CMOS Quad Operational Amplifier 1-921
LPC661 Low Power CMOS Operational Amplifier 1-933
LPC662 Low Power CMOS Dual Operational Amplifier 1-945
OP07 Low Offset, Low Drift Operational Amplifier 1-957
TL081 Wide Bandwidth JFET Input Operational Amplifier 1-962
TL082 Wide Bandwidth Dual JFET Input Operational Amplifier 1-969

Section 2 Buffers

Buffers Definition of Terms 2-3
Buffers Selection Guide 2-4
LH0002 Buffer 2-5
LH0033/LH0063 Fast and Ultra Fast Buffers 2-8
LH4001 Wideband Current Buffer 2-19
LH4002 Wideband Video Buffer 2-23
LM102/LM302 Voltage Followers 2-27
LM110/LM210/LM310 Voltage Followers 2-33
LM6121/LM6221/LM6321 High Speed Buffers 2-46
LM6125/LM6225/LM6325 High Speed Buffers 2-52

Section 3 Voltage Comparators

Voltage Comparators Definition of Terms 3-3
Voltage Comparators Selection Guide 3-4
LF111/LF211/LF311 Voltage Comparators 3-5
LH2111/LH2311 Dual Voltage Comparators 3-14
LM106/LM306 Voltage Comparators 3-17
LM111/LM211/LM311 Voltage Comparators 3-21
LM119/LM219/LM319 High Speed Dual Comparators 3-35
LM139/LM239/LM339/LM2901/LM3302 Low Power Low Offset Voltage Quad Comparators 3-42
LM160/LM360 High Speed Differential Comparators 3-54
LM161/LM261/LM361 High Speed Differential Comparators 3-58
LM193/LM293/LM393/LM2903 Low Power Low Offset Voltage Dual Comparators 3-63
LM612 Dual-Channel Comparator and Reference 3-72
LM613 Dual Operational Amplifier, Dual Comparator, and Adjustable Reference 3-80
LM615 Quad Comparator and Adjustable Reference 3-96
LM710 Voltage Comparator 3-107
LM760 High Speed Differential Comparator 3-111
LM1801 Battery Operated Power Comparator 3-118
LM6511 180 ns 3V Comparator 3-126

Table of Contents (Continued)

Section 3 Voltage Comparators (Continued)
LMC6762 Dual/LMC6764 Quad Micropower, Rail-to-Rail Input and Output CMOS Comparator 3-131
LMC6772 Dual, LMC6774 Quad, Micropower Rail-to-Rail Input and Open Drain Output CMOS Comparator 3-132
LMC7211 Tiny CMOS Comparator with Rail-to-Rail Input 3-133
LMC7221 Tiny CMOS Comparator with Rail-to-Rail Input and Open Drain Output 3-144
LP311 Voltage Comparator 3-145
LP339 Ultra-Low Power Quad Comparator 3-149

Section 4 Active Matrix/LCD Display Drivers
LM6104 Quad Gray Scale Current Feedback Amplifier 4-3
LM8305 STN LCD Display Bias Voltage Source 4-7
LMC6008 8 Channel Buffer 4-8

Section 5 Special Functions
DH0006/DH0006C Current Drivers 5-3
DH0034 High Speed Dual Level Translator 5-7
DH0035/DH0035C Pin Diode Driver 5-11
LH0094 Multifunction Converter 5-14
LM194/LM394 Supermatch Pair 5-23
LM195/LM395 Ultra Reliable Power Transistors 5-31
LM3045/LM3046/LM3086 Transistor Arrays 5-42
LM3146 High Voltage Transistor Array 5-47
LP395 Ultra Reliable Power Transistor 5-52

Section 6 Surface Mount
Packing Considerations (Methods, Materials and Recycling) 6-3
Board Mount of Surface Mount Components 6-19
Recommended Soldering Profiles--Surface Mount 6-23
AN-450 Small Outline (SO) Package Surface Mounting Methods--Parameters and Their Effect on Product Reliability 6-24
Land Pattern Recommendations 6-35

Section 7 Appendices/Physical Dimensions
Appendix A General Product Marking and Code Explanation 7-3
Appendix B Device/Application Literature Cross-Reference 7-4
Appendix C Summary of Commercial Reliability Programs 7-10
Appendix D Military Aerospace Programs from National Semiconductor 7-11
Appendix E Understanding Integrated Circuit Package Power Capabilities 7-21
Appendix F How to Get the Right Information from a Datasheet 7-26
Physical Dimensions 7-30
Bookshelf
Distributors

Jameco Part number 79071

National Semiconductor supplies a comprehensive set of service and support capabilities. Complete product information and design support is available from National's customer support centers.

To receive sales literature and technical assistance, contact the National support center in your area.

Americas Tel: 1-800-272-9959
Fax: 1-800-737-7018
Email: support@tevm2.nsc.com

Europe Fax: (+49) 0-180-530 85 86
Email: cnjwge@tevm2.nsc.com
Deutsch Tel: (+49) 0-180-530 85 85
English Tel: (+49) 0-180-532 78 32
Français Tél: (+49) 0-180-532 93 58
Italiano Tel: (+49) 0-180-534 16 80

Japan Tel: 81-043-299-2309
Fax: 81-043-299-2408

See us on the Worldwide Web at: **http://www.nsc.com**

For support in the following countries, please contact the offices listed below:

Australia
Tel: (39) 558-9999
Fax: (39) 558-9998

China
Tel: 10-849-133 1
Fax: 10-849-133 2

Hong Kong
Tel: (852) 2737-1600
Fax: (852) 2736-9960

India
Tel: 80-226-7272
Fax: 80-225-1133

Korea
Tel: (02) 784-8051/3
(02) 785-0696/8
Fax: (02) 784-8054

Malaysia
Tel: 4-644-9061
Fax: 4-644-9073

Singapore
Tel: (65) 225-2226
Fax: (65) 225-7080

Taiwan
Tel: (02) 521-3288
Fax: (02) 561-3054

For a complete listing of worldwide sales offices, see inside back page.

© 1995 National Semiconductor

MAX5075P

RRD/RRD150M95
Printed in U.S.A.

Printed on Recycled Paper